

PAT PHOTOGRAPHIC ACTIVITY TEST ISO 18916 - RESEARCH REPORT

JOB: 2344

DATE: 25-May-2016

PREPARED FOR: PHU Beskid Plus - Piotr Tyrna
ul. Towarowa 3, 43-400 Cieszyn, Poland

MATERIAL: Archival white paper
CONTROL: Whatman No. 1 filter paper

SILVER IMAGE INTERACTION RESULT: PASS

Density change of control:	-1.15
Upper pass/fail limit:	-0.92
Density change of material:	-1.33
Lower pass/fail limit:	-1.38

Staining caused by material must be less than the stain caused by control ± 0.08

GELATIN STAINING RESULT: PASS

Density change of control:	0.11
Stain limit:	0.19
Density change of material:	0.17

Staining caused by material must be less than the stain caused by control ± 0.08

MOTTLING OF IMAGE INTERACTION DETECTOR RESULT: PASS

Visual assessment of uniform action

OPERATOR: Andrea Venosa

PERFORMANCE:	PASS
--------------	------

MUST PASS ALL CRITERIA TO PASS PAT

Note: When selecting enclosures, the PAT should be used in conjunction with ISO 18902

until:

25-May-2017

This certificate is VOID upon any change in product formulation, manufacturer, or manufacturer supplier.

IMAGE PERMANENCE INSTITUTE

Rochester Institute of Technology, 70 Lomb Memorial Drive, Rochester, NY 14623

Use and publication of this data is governed by contractual agreement and by RIT's research policy.